

OFFICERS

President

Kelly J. Clark, MD, MBA, DFASAM

President-Elect

Paul H. Earley, MD, DFASAM

Vice President

Margaret Jarvis, MD, DFASAM

Secretary

Yngvild Olsen, MD, MPH, FASAM

Treasurer

Brian Hurley, MD, MBA, FASAM

Immediate Past President

R. Jeffrey Goldsmith, MD, DLFAPA, DFASAM

BOARD OF DIRECTORS

Directors-at-Large

Anthony Albanese, MD, DFASAM Marc Galanter, MD, DFASAM William F. Haning, III, MD, DFAPA, DFASAM Petros Levounis, MD, MA, DFASAM Edwin A. Salsitz, MD, DFASAM John C. Tanner, DO, DFASAM

Regional Directors

Region I Director

Jeff Selzer, MD, DFASAM

Region II Director

Murtuza Ghadiali, MD

Region III Director

Kenneth Freedman, MD, MS, MBA, FACP, AGAF, DFASAM

Region IV Director

Michael Shore, MD, DFASAM, DLFAPA

Region V Director

Anika Alvanzo, MD, MS, FACP, FASAM

Region VI Director

Gavin Bart, MD, PhD, DFASAM

Region VII Director

A. Kennison Roy, III, MD, DLFAPA, DFASAM

Region VIII Director

Miriam Komaromy, MD, FACP, FASAM

Region IX Director

Peter Selby, MBBS, CCFP, FCFP, MHSc, DFASAM

Region X Director

Scott Teitelbaum, MD, DFASAM

Ex-Officio

Stuart Gitlow, MD, MPH, MBA, DFAPA, DFASAM Randolph P. Holmes, MD, FASAM Todd Kammerzelt, MD, FASAM Michelle Lofwall, MD, FASAM Penny S. Mills, MBA Aleksandra Zgierska, MD, PhD

FOUNDING PRESIDENT

Ruth Fox, MD 1895-1989 October 13, 2017

Scott Gottlieb, MD Acting Commissioner US Food and Drug Administration 10903 New Hampshire Avenue Silver Spring, MD 20993

Re: FDA-2017-N-4977

Dear Dr. Gottlieb,

The American Society of Addiction Medicine (ASAM) is pleased to have the opportunity to comment on the new drug application (NDA) 209819, buprenorphine subcutaneous injection, submitted by Indivior Pharmaceuticals, Inc. for the proposed indication of maintenance treatment of opioid dependence.¹

Foremost to ASAM's mission is a goal to increase access to and improve the quality of addiction treatment. The introduction of novel addiction pharmacotherapies supports this goal. Addiction patients, like all patients, should have available to them a robust and varied array of treatment options as no one treatment modality is appropriate or therapeutic for everyone.

Buprenorphine has been shown to be safe and effective for the treatment of opioid dependence. Unlike the oral buprenorphine formulations, this once- or twice-monthly subcutaneous injection formulation has the potential to decrease the risk of diversion. As with all medications for opioid addiction, treatment with buprenorphine subcutaneous injection, should include evidence-based psychosocial interventions and ongoing monitoring for relapse, drug interactions and overdose risk.

ASAM supports the development and manufacturing of medications that aid in the treatment of addiction and applauds the efforts of manufacturers to minimize the risks of diversion, accidental exposure and/or overdose associated with potentially addictive pharmaceuticals. Both are necessary to improve the care of people with addiction and to



advance the field of treatment but, independent of similar efforts to advance prevention, education, and recovery support services, not sufficient to fully address the causes and consequences of addiction.

ASAM looks forward to a continued collaboration with your agency to promote advances in and increased access to addiction treatment. Again, ASAM thanks the FDA for the opportunity to share our comments with the Psychopharmacologic Drugs Advisory Committee.

Sincerely,

Kelly Clark, MD, MBA, DFASAM

Kelly J. Clark

President, American Society of Addiction Medicine

 $^{^{1}}$ Disclosure Statement: The American Society of Addiction Medicine has received unrestricted grants from Indivior Pharmaceuticals, Inc.