



ASAM

American Society of Addiction Medicine

Public Policy Statement on the Relationship between Treatment and Self Help: a Joint Statement of the American Society of Addiction Medicine, the American Academy of Addiction Psychiatry, and the American Psychiatric Association

Background

For many years, physicians and other treatment professionals have recognized the value of self help groups as a valuable resource to patients in addiction treatment and their family members. (See, for example, American Society of Addiction Medicine's [ASAM] 1979 resolution on self help groups; the ASAM Patient Placement Criteria (Second Edition), and the American Psychiatric Association's Practice Guideline for the Treatment of Patients with Substance Use Disorders: Alcohol, Cocaine, Opioids). Addiction professionals and programs routinely recommend such groups to their patients and help them understand and accept the value of becoming an active participant.

It is important to distinguish between professional treatment and self help. Treatment involves, at minimum, the following elements:

- a. A qualified professional is in charge of, and shares professional responsibility for, the overall care of the patient;
- b. A thorough evaluation is performed, including diagnosis, determination of the stage and severity of illness and an assessment of accompanying medical, psychiatric, interpersonal and social problems;
- c. A treatment plan is developed, based on both the initial assessment and response to treatment over time. Such treatment is guided by professionally accepted practice guidelines and patient placement criteria;
- d. The professional or program responsible and accountable for treatment is also responsible for offering or referring the patient for additional services that may be required as a supplement to addiction treatment;

- e. The professional or program currently treating the patient continues therapeutic contact, whenever possible, until stable recovery has been attained.

Self help groups, although helpful at every stage of treatment and as a long-term social and spiritual aid to recovery, do not meet the above criteria and should not be confused with or substituted for professional treatment.

In some instances, utilization review and medical necessity guidelines used by insurers and other managed care entities have sought to substitute self help attendance for professional treatment in patients who have not reached stable remission from their alcohol or other drug dependence.

Recommendations

ASAM, AAAP and APA recommend that:

- 1. Patients in need of treatment for alcohol or other drug-related disorders should be treated by qualified professionals in a manner consonant with professionally accepted practice guidelines and patient placement criteria;**
- 2. Self help groups should be recognized as valuable community resources for many patients in addiction treatment and their families. Addiction treatment professionals and programs should develop cooperative relationships with self help groups;**
- 3. Insurers, managed care organizations and others should be aware of the difference between self help fellowships and treatment;**
- 4. Self help should not be substituted for professional treatment, but should be considered a compliment to treatment directed by professionals. Professional treatment should not be denied to patients or families in need of care.**

Adopted by the ASAM and the AAAP Boards of Directors October 1997
Adopted by the APA Board of Trustees December 1997

© Copyright 2005. American Society of Addiction Medicine, Inc. All rights reserved. Permission to make digital or hard copies of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for commercial, advertising or promotional purposes, and that copies bear this notice and the full citation on the first page. Republication, systematic reproduction, posting in electronic form on servers, redistribution to lists, or other uses of this material, require prior specific written permission or license from the Society. ASAM Public Policy Statements normally may be referenced in their entirety only, without editing or paraphrasing, and with proper attribution to the Society. Excerpting any statement for any purpose requires specific written permission from the Society. Public Policy statements of ASAM are revised on a regular basis; therefore, those wishing to utilize this document must ensure that it is the most current position of ASAM on the topic addressed.

American Society of Addiction Medicine

4601 North Park Avenue • Upper Arcade Suite 101 • Chevy Chase, MD 20815-4520

TREAT ADDICTION • SAVE LIVES

PHONE: (301) 656-3920 • FACSIMILE: (301) 656-3815

E-MAIL: EMAIL@ASAM.ORG • WEBSITE: [HTTP://WWW.ASAM.ORG](http://WWW.ASAM.ORG)